

Window Energy Rating

Roseview Windows

PVC-U Sliding Sash A Rated Window

Reg No. 0725-002A

Date.22/07/2011

Thermal Rating Register

0 +

-10 to < 0

-20 to -10

-30 to -20

-50 to -30

-70 to -50

-70 +

A

Energy Rating

kWh/m²/year of energy consumption

The Window Energy Rating is a relative rating based on a notional house and windows in an average UK location. Actual energy performance will vary with building detailing, usage, local climate and internal temperature.



**To Check this label is current visit:
www.thermalratingregister.org**

Technical Data

Rehau S719 A1 Window
Partial Steel Reinforcement
Planitherm Total+/Diamant
Super Spacer/Argon
Simulator TRR000, Report Ref:CU 10232-8

All above specifications achieve a 'A' rated window

Glazing Sealants

Polysulphide & Polyurethane sealant Conductivity 0.4, Hot Melt Butyl Conductivity 0.25, depth 5mm to a +/- 2mm tolerance unless otherwise stated

Unit Glass Makeup

4/20/4 any gas fill assumed at 90%

The Thermal Rating Register is a product certification scheme; rating the thermal performance for window and door products.

$$\text{WER} = 196.7 \cdot (1-f) \cdot g_{\text{glass}} - 68.5 \cdot (U + 0.0165 \cdot AL)$$

